

**DECLARATION OF PERFORMANCE**  
**N° 0007-108**

1. Unique identification code of the product-type:  
*Suspended ceiling: substructure components*
2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):  
*Accessory component (See label)*
3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:  
*Suspended ceiling substructure components*
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):  
*SAINT-GOBAIN EUROCOUSTIC*  
*1 place Victor Hugo, 92411 Courbevoie, France*  
[www.eurocoustic.com](http://www.eurocoustic.com)
5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):  
*Not applicable*
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:  
*AVCP System 4 for reaction to fire*  
*AVCP System 3 for load bearing capacity*  
*AVCP System 4 for durability*
7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:  
*The product 87886 (in the table below) is classified F according to Commission Decision 2000/147/CE (AVCP System 4).*

*For the other products, it's not required to be tested for reaction to fire; they are classified A1 according to Commission Decisions 96/603/CE for the products made up in galvanized steel or 2010/737/UE for products in steel covered by polyester (AVCP System 4).*

*A determination of the product-type on the basis of type testing, type calculation, tabulated values or descriptive documentation of the product under system 4 for the characteristic durability was performed.*  
*No tasks for the notified body.*

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not applicable

9. Declared performance

Essential characteristics				
Product description	Reaction to fire	Load bearing capacity		Durability: Corrosion protection
		Admissible load (Fadm) N	Ultimate load (Fu) N	
12004 – EUROCLIP HP	A1	NPD	NPD	NPD
14305-ECROU DE 6 CORRO PLUS	A1	NPD	NPD	Classe C-D*
14308-RACCORD POUR TF DIAM 6MM CORRO PLUS	A1	NPD	NPD	Classe C-D*
14311-ECROU BORGNE	A1	NPD	NPD	NPD
14321-ECROU BORGNE CORRO PLUS	A1	NPD	NPD	Classe C-D*
64155 – CLIP POUR POSE MURALE PANNEAUX DE 40MM	A1	NPD	NPD	Classe B
64156 – CLIP POUR POSE MURALE PANNEAUX DE 50MM	A1	NPD	NPD	Classe B
64157 – CLIP POUR POSE MURALE PANNEAUX DE 80MM	A1	NPD	NPD	Classe B
86264 - TRAPPE DE VISITE BLANCHE PR OSS APP	A1	NPD	NPD	Classe B
87229 - EUROCLIPS	A1	NPD	NPD	Classe B
87547 - ECROU DE 6 ZINGUE	A1	NPD	NPD	NPD
87549 - VIS H 6/15	A1	NPD	NPD	NPD
87552 - RACCORD POUR TF DIAM 6MM LG30MM	A1	NPD	NPD	NPD
87555 - ECROU DE 8 ZINGUE	A1	NPD	NPD	NPD
87558 - RACCORD POUR TF DIAM 8MM LG30MM	A1	NPD	NPD	NPD
87586 - RACCORD ANGLE SORTANT AC52	A1	NPD	NPD	Classe B
87587 - RACCORD ANGLE ENTRANT AC51	A1	NPD	NPD	Classe B
87588 - RACCORD DROIT AC50	A1	NPD	NPD	Classe B
87589 - RESSORT DE RIVE AC49	A1	NPD	NPD	NPD
87640 - AGRAFES U-38	A1	NPD	NPD	Classe B
87671 - RACCORD DROIT LISSE PLATE DE 50	A1	NPD	NPD	Classe B
87672 - RACCORD DROIT LISSE PLATE DE 100	A1	NPD	NPD	Classe B
87673 - RACCORD DE MUR LISSE PLATE DE 50	A1	NPD	NPD	Classe B
87674 - RACCORD EQUERRE LISSE PLATE DE 50	A1	NPD	NPD	Classe B
87675 - RACCORD EQUERRE LISSE JC DE 100	A1	NPD	NPD	Classe B
87676 - RACCORD DE MUR LISSE JC DE 100	A1	NPD	NPD	Classe B
87677 - RACCORD DROIT LISSE JC DE 100	A1	NPD	NPD	Classe B
87694 - RACCORD DROIT LISSE PLATE DE 75	A1	NPD	NPD	Classe B
87695 - RACCORD DROIT LISSE PLATE DE 125	A1	NPD	NPD	Classe B
87696 - RACCORD DROIT LISSE PLATE DE 150	A1	NPD	NPD	Classe B
87697 - RACCORD DE MUR LISSE PLATE DE 75	A1	NPD	NPD	Classe B
87698 - RACCORD DE MUR LISSE PLATE DE 100	A1	NPD	NPD	Classe B
87699 - RACCORD DE MUR LISSE PLATE DE 125	A1	NPD	NPD	Classe B
87700 - RACCORD DE MUR LISSE PLATE DE 150	A1	NPD	NPD	Classe B
87701 - RACCORD EQUERRE LISSE PLATE DE 75	A1	NPD	NPD	Classe B
87702 - RACCORD EQUERRE LISSE PLATE DE 100	A1	NPD	NPD	Classe B
87703 - RACCORD EQUERRE LISSE PLATE DE 125	A1	NPD	NPD	Classe B
87704 - RACCORD EQUERRE LISSE PLATE DE 150	A1	NPD	NPD	Classe B
87733 - RACCORD DROIT AC53 POUR PROFILD5110	A1	NPD	NPD	Classe B

Essential characteristics				
Product description	Reaction to fire	Load bearing capacity		Durability: Corrosion protection
		Admissible load (Fadm) N	Ultimate load (Fu) N	
87745 - EMBOUT MURAL AC231 POUR PLP 85	A1	NPD	NPD	Classe B
87746 - EMBOUT MURAL AC230 POUR PLP 120	A1	NPD	NPD	Classe B
87747 - EMBOUT MURAL AC247 POUR PLP 54	A1	NPD	NPD	Classe B
87749 - ECLISSE AC229 POUR PLP 85	A1	NPD	NPD	Classe B
87750 - ECLISSE AC246 POUR PLP 54	A1	NPD	NPD	Classe B
87751 - EMBOUT MURAL AC249 POUR PLP 70	A1	NPD	NPD	Classe B
87752 - ECLISSE AC228 POUR PLP 120	A1	NPD	NPD	Classe B
87755 - ECLISSE AC248 POUR PLP 70	A1	NPD	NPD	Classe B
87775 - CAVALIER RABATTEMENT ST10 PNX 50 MM	A1	NPD	NPD	Classe B
87776 - CAVALIER RABATEMENT ST96 PNX 80A100	A1	NPD	NPD	NPD
87779 - ECLISSE RACCORD ST12 POUR PORTEUR T	A1	NPD	NPD	Classe B
87780 - ASSEMBLAGE EN CROIX ST11	A1	NPD	NPD	Classe B
87781 - ASSEMBLAGE TAILLE DE PIERRE ST18	A1	NPD	NPD	Classe B
87782 - CAVALIER ARAIGNEE CA121	A1	NPD	NPD	NPD
87783 - ETOILE EN CROIX ST90	A1	NPD	NPD	NPD
87784 - ANTISOULEVEMENT ST19/140 IPN 80A140	A1	NPD	NPD	NPD
87785 - ETOILE TAILLE PIERRE ST91	A1	NPD	NPD	NPD
87786 - EQUERRE ASSEMBL ST98 PORTEUR T-V808	A1	NPD	NPD	NPD
87795 - ENS FIXATION DERNIER PANNEAU EP25MM	A1	NPD	NPD	Classe B
87796 - ENS FIXATION DERNIER PANNEAU EP40MM	A1	NPD	NPD	Classe B
87798 - CAVALIER AC254 PANNEAUX 50 A 100MM	A1	NPD	NPD	Classe B
87801 - CAVALIER CA111 DALLES EP 15 A 16MM	A1	NPD	NPD	NPD
87802 - CAVALIER CA112 DALLES EP 6 A 8MM	A1	NPD	NPD	NPD
87803 - CAVALIER CA114 POUR PANNEAUX 25MM	A1	NPD	NPD	NPD
87805 - CAVALIER CA115 POUR PANNEAUX 45MM	A1	NPD	NPD	NPD
87807 - EPINGLE AC38 POUR DALLES EP 25MM	A1	NPD	NPD	NPD
87808 - CAVALIER CA113 POUR DALLES PLAF MET	A1	NPD	NPD	NPD
87880 - RACCORD AC28 POUR PRIMAIRE I	A1	NPD	NPD	Classe B
87887 - RACCORD AC257 POUR PRIMAIRE U	A1	NPD	NPD	NPD

\* Suitable for specific Class D situations, based on an expert opinion (Table 8 in EN 13964: 2014)

All the essential characteristics listed in the first line in this table are corresponding to those described in NF EN 13964:2014.

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Mr Eric Escalettes  
Director B.U. Eurocoustic Ceiling  
Courbevoie, August 29th 2018

